

## Direct Lift - Pro Jack 3500 Sliding Jack

**Brand:** Direct Lift

**Product Code:** RJ35BK

**Call for Price:** 877-805-1154



### Short Description

The **Pro Jack 3500** is an economical sliding jack that makes any four post lift complete. This versatile jack requires no air or electricity. It operates by the manual hydraulic pump, and is adjustable to fit most four post lifts.

To see if the **Pro Jack 3500** fits your four post lift, please check specifications or call for details.

### Features:

- 3,500 lbs. capacity
- Manually operated
- Scissor mechanism allows for level lifting
- Compact size with a low profile
- Adjustable width fits most four post lifts
- Safety lock positions
- Adapters included
- Powder coated finish
- Smooth sliding action
- Adapter storage
- Available in **Black** color only.

---

## Specifications:

- Maximum Width 46"
- Minimum Width 29 1/2"
- Minimum Width with Arms In 38 3/4"
- Maximum Width with Arms Out 61 1/2"
- Minimum Height with Lift Pad 3 1/2"
- Lifting Pad 1 3/8"
- Short Adapter 1 1/4"
- Tall Adapter 5"
- Raised Height without Adapter 11"
- Raised Height with Small Adapter 12 1/4"
- Raised Height with Large Adapter 16"
- Raised Height with Sm. & Lg. Adapter 17 1/4"
- Shipping Weight 300 lbs.

## Description

The **Pro Jack 3500** is an economical sliding jack that makes any four post lift complete. This versatile jack requires no air or electricity. It operates by the manual hydraulic pump, and is adjustable to fit most four post lifts.

To see if the **Pro Jack 3500** fits your four post lift, please check specifications or call for details.

## Features:

- 3,500 lbs. capacity
- Manually operated
- Scissor mechanism allows for level lifting
- Compact size with a low profile

- Adjustable width fits most four post lifts
- Safety lock positions
- Adapters included
- Powder coated finish
- Smooth sliding action
- Adapter storage
- Available in **Black** color only.

---

## Specifications:

- Maximum Width 46"
- Minimum Width 29 1/2"
- Minimum Width with Arms In 38 3/4"
- Maximum Width with Arms Out 61 1/2"
- Minimum Height with Lift Pad 3 1/2"
- Lifting Pad 1 3/8"
- Short Adapter 1 1/4"
- Tall Adapter 5"
- Raised Height without Adapter 11"
- Raised Height with Small Adapter 12 1/4"
- Raised Height with Large Adapter 16"
- Raised Height with Sm. & Lg. Adapter 17 1/4"
- Shipping Weight 300 lbs.